



State of Rhode Island and Providence Plantations
Coastal Resources Management Council
 Oliver H. Stedman Government Center
 4808 Tower Hill Road, Suite 3
 Wakefield, RI 02879-1900

(401) 783-3370
 Fax (401) 783-2069

PUBLIC NOTICE

File Number: 1995-04-026

Date: 13 April 2020

This office has under consideration the application of:

James and Claire Hall
 15 Narrows Road
 Narragansett, RI 02882

for a State of Rhode Island Assent to construct and maintain:

Modification to a previously permitted residential boating facility to include construction of a 4' x 5' gangway platform, extension of a 3' x 16' gangway and relocation westward of the existing permitted two 5' x 15' floats. The entire facility is proposed to extend ~69.5' seaward of the cited MLW mark, requiring a variance of 19.5' to Red Book 650-RICR-20-00-01 Section 1.3.1(D), an increase of ~11.5' seaward of currently permitted conditions.

Project Location:	15 Narrows Road
City/Town:	Narragansett
Plat/Lot:	Y-1 / 253
Waterway:	Point Judith Pond, Harbour Island

Plans of the proposed work may be seen at the CRMC office in Wakefield.

In accordance with the Administrative Procedures Act (Chapter 42-35 of the Rhode Island General Laws) you may request a hearing on this matter.

You are advised that if you have good reason to enter protests against the proposed work it is your privilege to do so. It is expected that objectors will review the application and plans thoroughly, visit site of proposed work if necessary, to familiarize themselves with the conditions and cite what law or laws, if any, would in their opinion be violated by the work proposed.

If you desire to protest, you must attend the scheduled hearing and give sworn testimony. A notice of the time and place of such hearing will be furnished you as soon as possible after receipt of your request for hearing. If you desire to request a hearing, to receive consideration, it should be in writing (**with your correct mailing address, e-mail address and valid contact number**) and be received at this office on or before May 13, 2020.



PROJECT LOCATION

RICHARD N. ST. JEAN

 No. 4997
 REGISTERED 1/16/20
 PROFESSIONAL ENGINEER



St. Jean Engineering, LLC
 Civil and Structural Engineering
 19 Arnold Neck Drive, Warwick, RI 02886
 (401)398-0999 ST.JEAN.ENGINEERING@VERIZON.NET


15 NARROWS ROAD, NARRAGANSETT, RHODE ISLAND
 LOCUS MAP

DATE
 January 3, 2020

LOCATION: 15 NARROWS ROAD PLAT NO. Y-1 LOT 253 NARRAGANSETT, RI 02882	APPLICATION BY: JAMES & CLAIRE HALL 15 NARROWS ROAD NARRAGANSETT, RI 02882	REVISIONS: 1. LATEST BATHYMETRY & DIST. FROM MLW 4-8-20
--------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	---------------------------------------------------------------


SHEET OF
 1 9

**POINT JUDITH POND
THE NARROWS**
CRMC TYPE 2 WATERS




ZONE AE (BFE 14)
ZONE AE (BFE 12)

NOTE:
WATER DEPTHS ARE REFERENCED TO MEAN LOW WATER - LAND CONTOURS AND SPOT GRADES ARE REFERENCED TO NAVD88 - SEE SHEET 5 FOR CONVERSION




RICHARD N. ST. JEAN

REGISTERED PROFESSIONAL ENGINEER



St. Jean Engineering, LLC
Civil and Structural Engineering
209 Arnold Neck Drive, Warwick, RI 02886
Tel: (401) 398-0999 ST.JEAN.ENGINEERING@VERIZON.NET

ASSENT MODIFICATION - RESIDENTIAL DOCK EXISTING CONDITIONS PLAN			DATE
LOCATION: 15 NARROWS ROAD PLAT NO. Y-1 LOT 253 NARRAGANSETT, RI 02882			January 3, 2020
APPLICATION BY: JAMES & CLAIRE HALL 15 NARROWS ROAD NARRAGANSETT, RI 02882	REVISIONS: 1. LATEST BATHYMETRY & DIST. FROM MLW 4-8-20	SHEET OF 6 9	




PLAN VIEW

SCALE: $\frac{3}{32}'' = 1'-0''$

PROFILE VIEW

SCALE: $\frac{3}{32}'' = 1'-0''$

4 ft x 6 ft GANGWAY FLOAT
 ESTIMATED DEAD WT. = 240 #
 1 - 4' x 6' x 12" DRUM WEIGHT = 83 #
 1/2 DEAD LOAD GANGWAY = 160 #
 LIVE LOAD = 3' x 8' x 30 #/SF = 720 #
 DRUM BUOYANCY = 1 @ 1,406 #
 BUOYANCY 1,406 #s > DL+LL 1,203 #s



GANGWAY FLOAT PLAN

SCALE: $\frac{1}{4}'' = 1'-0''$

HARDWARE SCHEDULE

HARDWARE	DESCRIPTION
WD-A	REINFORCING ANGLE
WD-W	DBL WASHER PLATE
WD-CA	CLEAT ANGLE
WD-CAXL	XL CLEAT ANGLE
WD-CAFW	CLEAT FLAT WASHER
WD-HDM	HEAVY DUTY OUTSIDE CORNER MALE
WD-HDF	HEAVY DUTY OUTSIDE CORNER FEMALE
WD-E	OUTSIDE CORNER
WD-IN	INSIDE CORNER

St. Jean Engineering, LLC
 Civil and Structural Engineering
 209 Arnold Neck Drive, Warwick, RI 02886
 Tel: (401) 398-0999 STJEAN.ENGINEERING@VERIZON.NET

Richard N. St. Jean
 No. 4997
 REGISTERED PROFESSIONAL ENGINEER


ASSENT MODIFICATION - RESIDENTIAL DOCK
 PLAN AND PROFILE

DATE: January 3, 2020
 SHEET 8 OF 9


LOCATION:
 15 NARROWS ROAD
 PLAT NO. Y-1 LOT 253
 NARRAGANSETT, RI 02882

APPLICATION BY:
 JAMES & CLAIRE HALL
 15 NARROWS ROAD
 NARRAGANSETT, RI 02882



REVISIONS:
 1. LATEST BATHYMETRY & DIST. FROM MLW 4-8-20



PLATFORM PLAN VIEW
SCALE: $\frac{1}{2}'' = 1'-0''$




ELEVATION A-A
SCALE: $\frac{1}{2}'' = 1'-0''$



ELEVATION B-B
SCALE: $\frac{1}{2}'' = 1'-0''$

- NOTES:**
1. ALL BOLTING HARDWARE SHALL BE HOT DIPPED GALVANIZED.
 2. DRILL $\frac{1}{2}''$ PILOT HOLES FOR $\frac{3}{4}''$ LAG BOLTS, DRILL $\frac{3}{32}''$ PILOT HOLES FOR 1" LAG BOLTS.
 3. PILES TO BE DAPPED SQUARE TO FORM BEAM SEAT FOR FRAMING.
 4. ALL BOLTS BEARING ON TIMBER SHALL HAVE OGEE WASHERS UNDER THE HEAD OF THE BOLT/LAG AND UNDER THE NUT FOR THRU BOLTS.
 5. CONTRACTOR AND OWNER TO DETERMINE NEED FOR CROSS BRACING IN THE FIELD.



GUARDRAIL
SCALE: $\frac{1}{2}'' = 1'-0''$

St. Jean
Engineering, LLC
Civil and Structural Engineering
209 Arnold Neck Drive, Warwick, RI 02886
Tel: (401)398-4999 ST.JEAN.ENGINEERING@VERIZON.NET

LOCATION:
15 NARROWS ROAD
PLAT NO. Y-1 LOT 253
NARRAGANSETT, RI 02882

APPLICATION BY:
JAMES & CLAIRE HALL
15 NARROWS ROAD
NARRAGANSETT, RI 02882

REVISIONS:

1.	LATEST BATHYMETRY & DIST. FROM MLW 4-8-20
----	-------------------------------------------

ASSENT MODIFICATION - RESIDENTIAL DOCK PLATFORM FRAMING DETAILS
DATE: January 3, 2020
SHEET 9 OF 9