



Oliver Stedman Government Center
4808 Tower Hill Road; Suite 116
Wakefield, RI 02879
401-783-3370

PUBLIC NOTICE

File Number: 2014-01-027

Date: May 8, 2014

This office has under consideration the application of:

Douglas & Wendy Gray
1250 Narragansett Boulevard
Cranston, RI 02905

for a State of Rhode Island Assent to construct and maintain: a residential boating facility consisting of a 4' x 48' fixed pier, 4' x 24' ramp and a 6' x 25' float; also install 2 tie off piles. The facility will extend 75' seaward of mean low water to 18" (MLW). A variance is required to RICRMP 300.4.E.3(1) (50' standard beyond mean low water).

Project Location:	1250 Narragansett Blvd
City/Town:	Cranston
Plat/Lot:	2 / 1767
Waterway:	Providence River

Plans of the proposed work may be seen at the CRMC office in Wakefield.

In accordance with the Administrative Procedures Act (Chapter 42-35 of the Rhode Island General Laws) you may request a hearing on this matter.


You are advised that if you have good reason to enter protests against the proposed work it is your privilege to do so. It is expected that objectors will review the application and plans thoroughly, visit site of proposed work if necessary, to familiarize themselves with the conditions and cite what law or laws, if any, would in their opinion be violated by the work proposed.

If you desire to protest, you must attend the scheduled hearing and give sworn testimony. A notice of the time and place of such hearing will be furnished you as soon as possible after receipt of your request for hearing. If you desire to request a hearing, to receive consideration, it should be in writing (**with your correct mailing address, e-mail address and valid contact number**) and be received at this office on or before June 8, 2014.

LOCUS PLAN

Topo USA® 6.0

DELORME




Data use subject to license.

© 2006 DeLorme. Topo USA® 6.0.



www.delorme.com

TN
MN (14.5°W)






Data Zoom 12-3

DOUG GRAY 1250 NAREAG RD #13rd.
Be: WPA 1-11-14



PROPOSED RESIDENTIAL PIER
DOUGLAS GRAY
1250 NARRAGANSETT BOULEVARD, CRANSTON RI 02910
AP 2, LOT 1767
BY: WARREN HALL, CIVIL ENGINEER
DECEMBER 26, 2013 **SHEET 1 OF 4**





RECEIVED
JAN 14 2014
C.R.M.C.

PROPOSED RESIDENTIAL PIER
DOUGLAS GRAY

1250 NARRAGANSETT BOULEVARD, CRANSTON RI 02910
AP 2, LOT 1767

BY: WARREN HALL, CIVIL ENGINEER


DECEMBER 26, 2013 SHEET 3 OF 4

WARREN HALL




No. 5118

REGISTERED PROFESSIONAL ENGINEER

- ① 10" TIP ACQ TREATED WOOD PILES
TREAT TO 2.5 PCF (1.0 ALLOWED WITH
OWNER CONSENT)
- ② 2x6 DECKING ACQ TREATED TO .6 PCF
FASTEN TO STRINGERS WITH 2 16d
SPIRAL SHANK NAIL
- ③ 3x12 STRINGER, THRU BOLT AT PILE
FASTEN MIDDLE STRINGER WITH SIMPSON
H-1 HURRICANE ANCHOR
- ④ 2-3x12 CAP BEAM, ACQ TREATED TO
.6 PCF
- ⑤ 3x10 CROSS BRACE, ACQ TREATED TO
.8 PCF



10' EMBEDMENT DEPTHS (FLOAT = 15')
SEE ROCK SOCKET DETAIL
IF LESS THAN REQU'D
EMBEDMENT



GENERAL NOTES:

- 1) ALL BOLTS, CONNECTORS, WASHERS, NAILS, ECT SHALL BE HOT DIPPED GALVANIZED
- 2) CONTRACTOR SHALL ADHERE TO ALL OSHA RULES AND REGULATIONS THROUGHOUT ALL PHASES OF CONSTRUCTION
- 3) CONTRACTOR SHALL BE AWARE THAT THE STRATA INTO WHICH THE PILES ARE TO BE DRIVEN MAY VARY FROM THE ASSUMPTION THAT THESE PILES WILL PENETRATE 10' INTO SUITABLE MATERIAL

PROPOSED RESIDENTIAL PIER
DOUGLAS GRAY
1250 NARRAGANSETT BOULEVARD, CRANSTON RI 02910
AP 2, LOT 1767
BY: WARREN HALL, CIVIL ENGINEER
DECEMBER 26, 2013 SHEET 4 OF 4

