

Oliver Stedman Government Center 4808 Tower Hill Road; Suite 116 Wakefield, RI 02879 401-783-3370

PUBLIC NOTICE

File Number:	2014-01-028	Date:	May 8, 2014	
This office has	under consideration the application of:			

Alan Harlam 1256 Narragansett Boulevard Cranston, RI 02905

for a State of Rhode Island Assent to construct and maintain: a residential boating facility consisting of a 4' x 65' fixed pier, 4' x 24' ramp and a 7.5' x 20' float; also install 2 tie off piles. The facility will extend 75' seaward of MLW to a water depth of 18" (MLW). A variance to RICRMP 300.4.E.3(l) is required (50' beyond MLW standard).


Project Location:	1256 Narragansett Boulevard
City/Town:	Cranston
Plat/Lot:	2 / 1901
Waterway:	Providence River


Plans of the proposed work may be seen at the CRMC office in Wakefield.


In accordance with the Administrative Procedures Act (Chapter 42-35 of the Rhode Island General Laws) you may request a hearing on this matter.


You are advised that if you have good reason to enter protests against the proposed work it is your privilege to do so. It is expected that objectors will review the application and plans thoroughly, visit site of proposed work if necessary, to familiarize themselves with the conditions and cite what law or laws, if any, would in their opinion be violated by the work proposed.

If you desire to protest, you must attend the scheduled hearing and give sworn testimony. A notice of the time and place of such hearing will be furnished you as soon as possible after receipt of your request for hearing. If you desire to request a hearing, to receive consideration, it should be in writing (with your correct mailing address, e-mail address and valid contact number) and be received at this office on or before June 8, 2014.












C.R.M.C.





- 10" TIP ACQ TREATED WOOD PILES
 TREAT TO 2.5 PCF (1.0 ALLOWED WITH OWNER CONSENT)
- 2x6 DECKING ACQ TREATED TO .6 PCF FASTEN TO STRINGERS WITH 2 16d SPIRAL SHANK NAIL
- 3x12 STRINGER, THRU BOLT AT PILE FASTEN MIDDLE STRINGER WITH SIMPSON H-1 HURRICANE ANCHOR
- 2-3x12 CAP BEAM, ACQ TREATED TO .6 PCF
- (5) 3x10 CROSS BRACE, ACQ TREATED TO .8 PCF



10' EMBEDMENT DEPTHS (FLOAT = 15')
SEE ROCK SOCKET DETAIL
IF LESS THAN REQU'D
EMBEDMENT







GENERAL NOTES:

- 1) ALL BOLTS, CONNECTORS, WASHERS, NAILS, ECT SHALL BE HOT DIPPED GALVANIZED
- 2) CONTRACTOR SHALL ADHERE TO ALL OSHA RULES AND REGULATIONS THROUGHOUT ALL PHASES OF CONSTRUCTION
- 3) CONTRACTOR SHALL BE AWARE THAT THE STRATA INTO WHICH THE PILES ARE TO BE DRIVEN MAY VARY FROM THE ASSUMPTION THAT THESE PILES WILL PENETRATE 10' INTO SUITABLE MATERIAL

PROPOSED RESIDENTIAL PIER
ALAN HARLAM
1256 NARRAGANSETT BOULEVARD, CRANSTON RI 02910
AP 2, LOT 1901
BY: WARREN HALL, CIVIL ENGINEER
DECEMBER 26, 2013 SHEET 4 OF 4

