



Oliver Stedman Government Center
4808 Tower Hill Road; Suite 116
Wakefield, RI 02879
401-783-3370

PUBLIC NOTICE

File Number: 2016-10-076

Date: 7 November 2016

This office has under consideration the application of:

Upkar and Sukhjot Dhillon
17 Fessenden Road
Barrington, RI 02806

for a State of Rhode Island Assent to construct and maintain: A residential boating facility consisting of a 4' x 110' fixed timber pier leading to a 3' x 20' ramp and 10' x 15' terminal float. The facility proposes to extend 75' seaward of the cited MLW mark, requiring a 25' length variance to Section 300.4 standards.


Project Location:	17 Fessenden Road
City/Town:	Barrington
Plat/Lot:	10 / 88
Waterway:	Narragansett Bay

Plans of the proposed work may be seen at the CRMC office in Wakefield.



In accordance with the Administrative Procedures Act (Chapter 42-35 of the Rhode Island General Laws) you may request a hearing on this matter.


You are advised that if you have good reason to enter protests against the proposed work it is your privilege to do so. It is expected that objectors will review the application and plans thoroughly, visit site of proposed work if necessary, to familiarize themselves with the conditions and cite what law or laws, if any, would in their opinion be violated by the work proposed.

If you desire to protest, you must attend the scheduled hearing and give sworn testimony. A notice of the time and place of such hearing will be furnished you as soon as possible after receipt of your request for hearing. If you desire to request a hearing, to receive consideration, it should be in writing (**with your correct mailing address, e-mail address and valid contact number**) and be received at this office on or before December 7, 2016.




LOCUS MAP





HEIGHT OF FLOAT PILES=18+2'(M)

ZONE IS IN E (L 18) AND 5'(FREEBOARD)+1'=22.50



ALL GRID PER PILES SHALL BE DRIVEN 10' BELOW MAINLINE.
ALL FLOAT PILES SHALL BE DRIVEN 12' BELOW MAINLINE.

TOP OF FLOAT PILES (PROVIDE PILE CAPS)
INSTALL 8\"/>

