



State of Rhode Island and Providence Plantations
Coastal Resources Management Council
 Oliver H. Stedman Government Center
 4808 Tower Hill Road, Suite 3
 Wakefield, RI 02879-1900

(401) 783-3370
 Fax (401) 783-2069

PUBLIC NOTICE

File Number: 2018-01-023 Date: January 30, 2018

This office has under consideration the application of:

Alexander & Michelle Bea
 687 Greenwich Street
 # 6
 New York, NY 10014

for a State of Rhode Island Assent to construct and maintain: Modification to existing boating facility consisting of: addition of a 7.5' fixed pier, 18' ramp and 150ft2 float with tie off piles to the end of the stone facility. Terminus will be at 33' beyond MLW, and the mooring nearest the facility will be relocated per Town requirements.


Project Location:	179 Warren Road
City/Town:	Charlestown
Plat/Lot:	3 / 9
Waterway:	Quonochontaug Pond

Plans of the proposed work may be seen at the CRMC office in Wakefield.


In accordance with the Administrative Procedures Act (Chapter 42-35 of the Rhode Island General Laws) you may request a hearing on this matter.

You are advised that if you have good reason to enter protests against the proposed work it is your privilege to do so. It is expected that objectors will review the application and plans thoroughly, visit site of proposed work if necessary, to familiarize themselves with the conditions and cite what law or laws, if any, would in their opinion be violated by the work proposed.

If you desire to protest, you must attend the scheduled hearing and give sworn testimony. A notice of the time and place of such hearing will be furnished you as soon as possible after receipt of your request for hearing. If you desire to request a hearing, to receive consideration, it should be in writing (**with your correct mailing address, e-mail address and valid contact number**) and be received at this office on or before March 1, 2018.



PLAN VIEW



SURVEY by JAMES BERNARDO LAND SURVEYING
 ELEVATIONS ARE BASED ON MEAN LOW WATER (MLW)

PROJECT: DOCK MODIFICATIONS

LOCATION: TOWN of CHARLESTOWN
 WASHINGTON COUNTY, RHODE ISLAND
 WATERWAY: QUONOCHONTAUG POND
 DATE: DECEMBER 6, 2017
 APPLICANT: ALEXANDER BEA

AGENT: SHEET 3 OF 4
DOCKO, INC.
 Keith B. Neilson, PE
 Mystic, CT 06355
 860 572 8939 FAX 860 572 7569
 EMAIL: office@docko.com



DWG 17-07-2861

KEITH B. NEILSON
 No. 5601
 REGISTERED PROFESSIONAL ENGINEER

MATERIAL SPECIFICATIONS RHODE ISLAND CRMG APPLICATIONS

DESIGN LIVE LOADS FOR FIXED PIER IS 40PSF MINIMUM IAW CRMG STANDARDS AND 25 PSF FOR FLOATS

WOOD SPECIFICATIONS:

PILES SHALL BE 12-INCH BUTT OR CLASS 'B' AS APPROPRIATE FOR BOAT SIZE AND SEA CONDITIONS. WOOD SHALL BE GREENHEART, OAK, HICKORY OR AT OWNERS PREFERENCE, SOUTHERN PINE PRESSURE-TREATED.

TIMBERS FOR SUPPORT AND BRACING SHALL BE GREENHEART, OAK, CLEAR CEDAR, HICKORY OR AT OWNERS PREFERENCE SOUTHERN PINE PRESSURE-TREATED.

BRACING AND SPLIT CLAMPS: 3X10 MINIMUM FOR SPANS OF 6FT OR LESS

DECK STRINGERS: 3X8 AT 16-INCH CENTERS OR 3X10 AT 24-INCH CENTERS AT BENT INTERVALS OF 10 FEET

DECKING: OAK OR CEDAR 2X6 MINIMUM FOR STRINGERS AT 16-INCH CENTERS, 2X8 MINIMUM FOR STRINGERS AT 24-INCH CENTERS. PAU LOPE DECKING MAY BE 5/4 X 6 STOCK AT 24 INCH STRINGER INTERVALS

RAILING: 2X6 OAK, CEDAR OR DOUGLAS FIR OR 5/4 X 6 PAU LOPE

NOTE: OAK SHOULD BE COATED WITH WATERPROOFING

BOLTS:

3/4 INCH MINIMUM W/ WASHERS, HOT DIP (AMERICAN) GALVANIZED (2oz/SF)


NAILS AND SPIKES:

HEAVY DUTY (AMERICAN) GALVANIZED CONNECTIONS PER ANS/NFOPA INDS - 1991 NATIONAL DESIGN SPECIFICATIONS, LATEST EDITION. SCREWS WILL BE STAINLESS STEEL



FLOATATION:

CLOSED CELL EXPANDED POLYSTYRENE(EPS) FOAM BILLETS OR POLYETHYLENE ENCASED EXPANDED POLYSTYRENE FLOATATION UNITS, MINIMUM 12-INCHES HIGH AND INSTALLED CONTINUOUSLY BENEATH FLOAT FRAME

NOTE:
FLOAT RESTRAINT PILES ARE NOT SHOWN IN THIS VIEW FOR CLARITY OF PIER COMPONENTS.




NEW DOCK END VIEW



STONE PIER END VIEW



ELEVATIONS ARE BASED ON MEAN LOW WATER (MLW)



PROFILE



PROJECT: DOCK MODIFICATIONS

LOCATION: TOWN of CHARLESTOWN
WASHINGTON COUNTY, RHODE ISLAND

WATERWAY: QUONOCONTAUG POND

DATE: DECEMBER 6, 2017

APPLICANT: ALEXANDER BEA

AGENT: SHEET 4 OF 4

DOCKO, INC.

Keith B. Nelson, PE

Mystic, CT 06355

860 572 8939 FAX 860 572 7569

EMAIL: office@docko.com



DWG 17-07-2861

KEITH B. NELSON
No. 5601
REGISTERED PROFESSIONAL ENGINEER