



State of Rhode Island and Providence Plantations
Coastal Resources Management Council
Oliver H. Stedman Government Center
4808 Tower Hill Road, Suite 3
Wakefield, RI 02879-1900

(401) 783-3370
Fax (401) 783-2069

PUBLIC NOTICE

File Number: 2018-12-078

Date: January 2, 2019

This office has under consideration the application of:

Walter Pacheco
24 Nathaniel Way
Belchertown, MA 01007

for a State of Rhode Island Assent to construct and maintain: a residential boating facility consisting of a fixed 4' x 87' fixed timber pier, a 3' x 20' access ramp and a 10' x 15' (150sf) terminal float. The total facility is proposed to extend ~75' seaward of the cited MLW mark, requiring a 25' length variance to RICRMP Section 1.3.1(D).

Project Location:	148 Narrows Road
City/Town:	Bristol
Plat/Lot:	147 / 74
Waterway:	Mt. Hope Bay at "The Narrows" of the Kickemuit River

Plans of the proposed work may be seen at the CRMC office in Wakefield.


In accordance with the Administrative Procedures Act (Chapter 42-35 of the Rhode Island General Laws) you may request a hearing on this matter.

You are advised that if you have good reason to enter protests against the proposed work it is your privilege to do so. It is expected that objectors will review the application and plans thoroughly, visit site of proposed work if necessary, to familiarize themselves with the conditions and cite what law or laws, if any, would in their opinion be violated by the work proposed.


If you desire to protest, you must attend the scheduled hearing and give sworn testimony. A notice of the time and place of such hearing will be furnished you as soon as possible after receipt of your request for hearing. If you desire to request a hearing, to receive consideration, it should be in writing (**with your correct mailing address, e-mail address and valid contact number**) and be received at this office on or before February 2, 2019.

/lat

RECEIVED
DEC 24 2018
COASTAL RESOURCES
MANAGEMENT COUNCIL



MOUNT HOPE BAY
TYPE II WATERS



NOTE:
 INSTALL 4" x 4" x 1/4" STEEL ANGLES CONNECTION ONE EACH SIDE FASTEN INTO CONCRETE W/ 2-1/2" x 4" EXPANSION BOLTS & INTO EACH JOIST W/ 2-1/4" x 3" LAG BOLTS

NOTE:
 ALL FIXED PIER PILES SHALL BE DRIVEN 10' BELOW MUDLINE.
 ALL FLOAT PILES SHALL BE DRIVEN 12' BELOW MUDLINE.



NOTE:
 FLOOD ZONE IS VE (EL. 21) MSL. HEIGHT OF FLOAT PILES=21+2'(MLW TO MSL)+1.5'(FREEBOARD)+1'-25.50