



State of Rhode Island  
**Coastal Resources Management Council**  
 Oliver H. Stedman Government Center  
 4808 Tower Hill Road, Suite 3  
 Wakefield, RI 02879-1900

(401) 783-3370  
 Fax (401) 783-2069

**PUBLIC NOTICE**

File Number: 2021-07-031 Date: September 8, 2021

This office has under consideration the application of:

Robert Dimery  
 21 Opechee Drive  
 Barrington, RI 02806

for a State of Rhode Island Assent to construct and maintain:

A residential boating facility consisting of a 4' x 90' fixed timber pier, 3' x 20' ramp and 10' x 15' (150sf) terminal float. The facility is proposed to extend ~65' seaward of the cited MLW mark, requiring a 15' length variance to Red Book 650-RICR-20-00-01 Section 1.3.1(D)(11)(I). The facility is to replace the remnants of an existing grandfather dock.

Project Location:	21 Opechee Drive
City/Town:	Barrington
Plat/Lot:	32 / 117
Waterway:	Barrington River, Type II

Plans of the proposed work may be seen at the CRMC office in Wakefield.

In accordance with the Administrative Procedures Act (Chapter 42-35 of the Rhode Island General Laws) you may request a hearing on this matter.

You are advised that if you have good reason to enter protests against the proposed work it is your privilege to do so. It is expected that objectors will review the application and plans thoroughly, visit site of proposed work if necessary, to familiarize themselves with the conditions and cite what law or laws, if any, would in their opinion be violated by the work proposed.

If you desire to protest, you must attend the scheduled hearing and give sworn testimony. A notice of the time and place of such hearing will be furnished you as soon as possible after receipt of your request for hearing. If you desire to request a hearing, to receive consideration, it should be in writing (**with your correct mailing address, e-mail address and valid contact number**) and be received at this office on or before October 8, 2021.





OWNER/SITE LOCATION:  
 21 OPECHEE DR.  
 BARRINGTON, RI 02806












**DK-2**  
 BARRINGTON, RI 02806  
 RESIDENTIAL BOATING FACILITY  
 PLAT 32, LOT 117  
 21 OPECHEE DR.  
 RHODE ISLAND

**SEI**


SITE ENGINEERING INC.  
 CIVIL - MARINE - STRUCTURAL

78 WOOD STREET  
 BARRINGTON, RI 02806  
 PHONE: (401) 552-4201

DATE	BY	REVISIONS
6/18/21	RB	REVISED
	VS	
	DR	
	RB	








NOTE:  
 ALL FIXED PIER PILES SHALL BE DRIVEN 10' BELOW MUDLINE.  
 ALL FLOAT PILES SHALL BE DRIVEN 12' BELOW MUDLINE.

NOTE:  
 FLOOD ZONE IS AE (EL 12) MSL.  
 HEIGHT OF FLOAT PILES=12+2(MLW TO MSL)+1.5'(FREEBOARD)+1=16.50

NOTE:  
 INSTALL 4" x 4" x 1/4" STEEL ANGLES (GALVANIZED) TO FASTEN JOIST TO NEW CONCRETE PAD.  
 FASTEN INTO CONCRETE PAD.  
 FASTEN INTO CONCRETE W/ 2-1/2" x 4" EXPANSION BOLTS & INTO EACH JOIST W/ 2-1/4" x 3" LAG BOLTS



RECEIVED  
 JUL 07 2021  
 COASTAL RESOURCES  
 MANAGEMENT COUNCIL