



State of Rhode Island
Coastal Resources Management Council
 Oliver H. Stedman Government Center
 4808 Tower Hill Road, Suite 3
 Wakefield, RI 02879-1900

(401) 783-3370
 Fax (401) 783-2069

PUBLIC NOTICE

File Number: 2021-09-047 Date: September 30, 2021

This office has under consideration the application of:

Amit and Anahita Patel
 11 Riverside Drive
 Barrington, RI 02806

for a State of Rhode Island Assent to construct and maintain: A new residential boating facility consisting of a 4' x 30' upland ramp and timber fixed pier, a 3' x 20' ramp, 4' x 22' access float and an 8' x 18.75' (150sf) terminal float extending ~60' seaward of the cited MLW mark. The facility requires a 10' length variance to Red Book 650-RICR-20-00-01 Section 1.3.1(D)(11)(l).


Project Location:	11 Riverside Drive
City/Town:	Barrington
Plat/Lot:	25 / 249
Waterway:	Barrington River, Type II, Low Intensity Use

Plans of the proposed work may be seen at the CRMC office in Wakefield.

In accordance with the Administrative Procedures Act (Chapter 42-35 of the Rhode Island General Laws) you may request a hearing on this matter.

You are advised that if you have good reason to enter protests against the proposed work it is your privilege to do so. It is expected that objectors will review the application and plans thoroughly, visit site of proposed work if necessary, to familiarize themselves with the conditions and cite what law or laws, if any, would in their opinion be violated by the work proposed.

If you desire to protest, you must attend the scheduled hearing and give sworn testimony. A notice of the time and place of such hearing will be furnished you as soon as possible after receipt of your request for hearing. If you desire to request a hearing, to receive consideration, it should be in writing (**with your correct mailing address, e-mail address and valid contact number**) and be received at this office on or before October 30, 2021.



OWNER/SITE LOCATION:
AMIT & ANAHITA PATEL
 11 RIVERSIDE DR.
 BARRINGTON, RI 02806

DOCK PROFILE & DETAILS
 RESIDENTIAL BOATING FACILITY
 PLAT 25, LOT 249
 11 RIVERSIDE DR.
 BARRINGTON, RHODE ISLAND










SEI
 SITE ENGINEERING INC.
 CIVIL • MARINE • STRUCTURAL
 75 SAND STREET
 BARRINGTON, RI 02806
 PHONE: (401) 882-8281

DATE: 8/20/21

NO.	DATE	DESCRIPTION
OSM	RB	
DR	VS	
CHK	RB	

REVISIONS

NO.	DATE	DESCRIPTION




RECEIVED
SEP 13 2021
 COASTAL RESOURCES
 MANAGEMENT COUNCIL

NOTES:
 PROVIDE SPICE BLOCKS FOR STRINGERS AT ALL OUTSIDE LOCATIONS.
 ALL BUTT JOINTS SHALL BE FASNERED TO SPACES WITH TWO (2) CHAINS
 AND 1/2\"/>

NOTES:
 PREPARED FLOAT PROVIDED IS APPROXIMATELY 1/2\"/>

NOTES:
 WITH 2\"/>

BARRINGTON RIVER
TYPE II WATERS



PLAT 25
LOT 250
15 RIVERSIDE DR.
N/F MASON, JR. &
SUZANNE B THRALL TRUST
173 IRVINE DR.
VERNON, CT 06066


PLAT 25
LOT 249
AREA=12,500sf

EXISTING HOUSE
11 RIVERSIDE DR.

EXISTING HOUSE
(9 RIVERSIDE AVE.)


PLAT 25
LOT 248
N/F JAMES & DONNA
SCANLON
9 RIVERSIDE DR.
BARRINGTON, RI 02806

BENCHMARK:
PAINT MARK
TOP OF SEAWALL
ELEV. 6.03



RECEIVED
SEP 13 2021
COASTAL RESOURCES
MANAGEMENT COUNCIL






NOTE:
 INSTALL 4" x 4" x 1/4" STEEL ANGLES (GALVANIZED) TO FASTEN JOIST AT NEW CONCRETE PAD. FASTEN INTO CONCRETE W/ 2-1/2" x 4" EXPANSION BOLTS & INTO EACH JOIST W/ 2-1/4" x 3" LAG BOLTS

NOTE:
 FLOOD ZONE IS AE (EL 12) MSL. HEIGHT OF FLOAT PILES=12+2'(MLW TO MSL)+1.5'(FREEBOARD)+1'=16.50

NOTE:
 ALL FIXED PIER PILES SHALL BE DRIVEN 10' BELOW MUDLINE.
 ALL FLOAT PILES SHALL BE DRIVEN 12' BELOW MUDLINE.



RECEIVED
 SEP 13 2021
 COASTAL RESOURCES MANAGEMENT COUNCIL